Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded October 2025	Remarks for the values recorded October 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	20.64 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	27.73 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	54.58 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	34.36 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 26.49 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<b>&lt;0.</b> 01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	5.99 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<b>&lt;2.1</b> μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	< <b>0.1</b> ng/m <sup>3</sup>	Within limit
11	Arsenic	6 ng/m³ (annual)	<b>&lt;0.5</b> ng/m³	Within limit
12	Nickel	20 ng/m³ (annual)	<b>&lt;0.5</b> ng/m <sup>3</sup>	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<b>&lt;0.5</b> μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded September 2025	Remarks for the values recorded September 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	21.24 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	28.19 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	52.72 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	33.14 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 27.79 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<b>&lt;0.</b> 01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	4.89 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<b>&lt;2.1</b> μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	< <b>0.1</b> ng/m <sup>3</sup>	Within limit
11	Arsenic	6 ng/m³ (annual)	<b>&lt;0.5</b> ng/m³	Within limit
12	Nickel	20 ng/m³ (annual)	<b>&lt;0.5</b> ng/m <sup>3</sup>	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<b>&lt;0.5</b> μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded August 2025	Remarks for the values recorded August 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	19.69 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	28.01 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	53.70 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	33.03 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 26.97 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<b>&lt;0.</b> 01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	5.70 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<b>&lt;2.1</b> μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<b>&lt;0.1</b> ng/m³	Within limit
11	Arsenic	6 ng/m³ (annual)	< <b>0.5</b> ng/m <sup>3</sup>	Within limit
12	Nickel	20 ng/m³ (annual)	<b>&lt;0.5</b> ng/m³	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<b>&lt;0.5</b> μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded July 2025	Remarks for the values recorded July 2025
Sulphur Dioxide	80 μg/m3 (24 hrs)	19.66 μg/m3 (24 hrs)	Within limit
Nitrogen Dioxide	80 μg/m3 (24 hrs)	28.06 μg/m3 (24 hrs)	Within limit
Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	52.49 μg/m3 (24 hrs)	Within limit
Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	32.12 μg/m3 (24 hrs)	Within limit
Ozone	8 hours average: 100 μg/m3	8 hours average: 28.04 μg/m3	Within limit
Lead	1.0 μg/m3 (24 hrs)	< <b>0.</b> 01 μg/m3 (24 hrs)	Within limit
Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
Ammonia	400 μg/m3 (24 hrs)	5.31 μg/m3 (24 hrs)	Within limit
Benzene	5 μg/m3 (annual)	<b>&lt;2.1</b> μg/m3	Within limit
Benzo(α)Pyrene	1 ng/m³ (annual)	<b>&lt;0.1</b> ng/m <sup>3</sup>	Within limit
Arsenic	6 ng/m³ (annual)	<b>&lt;0.5</b> ng/m <sup>3</sup>	Within limit
Nickel	20 ng/m³ (annual)	<b>&lt;0.5</b> ng/m <sup>3</sup>	Within limit
Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<b>&lt;0.5</b> μg/m³	Within limit
	Sulphur Dioxide  Nitrogen Dioxide  Particulate matter, PM <sub>10</sub> Particulate matter, PM <sub>2.5</sub> Ozone  Lead  Carbon Monoxide  Ammonia  Benzene  Benzo(α)Pyrene  Arsenic  Nickel  Methane	Sulphur Dioxide       80 μg/m3 (24 hrs)         Nitrogen Dioxide       80 μg/m3 (24 hrs)         Particulate matter, PM10       100 μg/m3 (24 hrs)         Particulate matter, PM2.5       60 μg/m3 (24 hrs)         Ozone       8 hours average: 100 μg/m3         Lead       1.0 μg/m3 (24 hrs)         Carbon Monoxide       1-hour average: 4 mg/m3         Ammonia       400 μg/m3 (24 hrs)         Benzene       5 μg/m3 (annual)         Benzo(α)Pyrene       1 ng/m³ (annual)         Arsenic       6 ng/m³ (annual)         Nickel       20 ng/m³ (annual)         Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	Parameters *         per SWM Rules, 2016         July 2025           Sulphur Dioxide         80 μg/m3 (24 hrs)         19.66 μg/m3 (24 hrs)           Nitrogen Dioxide         80 μg/m3 (24 hrs)         28.06 μg/m3 (24 hrs)           Particulate matter, PM <sub>10</sub> 100 μg/m3 (24 hrs)         52.49 μg/m3 (24 hrs)           Particulate matter, PM <sub>2.5</sub> 60 μg/m3 (24 hrs)         32.12 μg/m3 (24 hrs)           Ozone         8 hours average: 100 μg/m3         8 hours average: 28.04 μg/m3           Lead         1.0 μg/m3 (24 hrs)         <0.01 μg/m3 (24 hrs)

<sup>\*</sup> As per Authorization Dated 23.08.2022

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded June 2025	Remarks for the values recorded June 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	20.50 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	27.78 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	52.89 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	32.50 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 27.94 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<b>&lt;0.</b> 01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	4.66 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<b>&lt;2.1</b> μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<b>&lt;0.1</b> ng/m <sup>3</sup>	Within limit
11	Arsenic	6 ng/m³ (annual)	<b>&lt;0.5</b> ng/m <sup>3</sup>	Within limit
12	Nickel	20 ng/m³ (annual)	< <b>0.5</b> ng/m <sup>3</sup>	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<b>&lt;0.5</b> μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded May 2025	Remarks for the values recorded May 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	20.28 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	26.58 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	53.21 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	35.52 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 26.42 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<0.01 µg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	4.97 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<2.1 μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<0.1 ng/m³	Within limit
11	Arsenic	6 ng/m³ (annual)	<0.5 ng/m³	Within limit
12	Nickel	20 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<0.5 μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded April 2025	Remarks for the values recorded April 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	20.20 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	28.34 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	54.98 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	33.18 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 27.00 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<0.01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	6.28 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<2.1 μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<0.1 ng/m <sup>3</sup>	Within limit
11	Arsenic	6 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
12	Nickel	20 ng/m³ (annual)	<0.5 ng/m³	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<0.5 μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded March 2025	Remarks for the values recorded March 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	20.05 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	28.24 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	55.16 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	33.99 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 26.83 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<0.01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	6.24 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<2.1 μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<0.1 ng/m <sup>3</sup>	Within limit
11	Arsenic	6 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
12	Nickel	20 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<0.5 μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded February 2025	Remarks for the values recorded February 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	20.23 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	28.04 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	51.98 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	33.69 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 28.61 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<0.01 µg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	4.69 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<2.1 μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<0.1 ng/m³	Within limit
11	Arsenic	6 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
12	Nickel	20 ng/m³ (annual)	<0.5 ng/m³	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<0.5 μg/m³	Within limit
* As per Authorization Dated 23.08.2022				

Sr. No.	Parameters *	Permissible levels as per SWM Rules, 2016	Values Recorded January 2025	Remarks for the values recorded January 2025
1	Sulphur Dioxide	80 μg/m3 (24 hrs)	19.52 μg/m3 (24 hrs)	Within limit
2	Nitrogen Dioxide	80 μg/m3 (24 hrs)	27.18 μg/m3 (24 hrs)	Within limit
3	Particulate matter, PM <sub>10</sub>	100 μg/m3 (24 hrs)	55.88 μg/m3 (24 hrs)	Within limit
4	Particulate matter, PM <sub>2.5</sub>	60 μg/m3 (24 hrs)	33.40 μg/m3 (24 hrs)	Within limit
5	Ozone	8 hours average: 100 μg/m3	8 hours average: 26.68 μg/m3	Within limit
6	Lead	1.0 μg/m3 (24 hrs)	<0.01 μg/m3 (24 hrs)	Within limit
7	Carbon Monoxide	1-hour average: 4 mg/m3	24 hours 1-hourly average: <0.4 mg/m3	Within limit
8	Ammonia	400 μg/m3 (24 hrs)	5.21 μg/m3 (24 hrs)	Within limit
9	Benzene	5 μg/m3 (annual)	<2.1 μg/m3	Within limit
10	Benzo(α)Pyrene	1 ng/m³ (annual)	<0.1 ng/m <sup>3</sup>	Within limit
11	Arsenic	6 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
12	Nickel	20 ng/m³ (annual)	<0.5 ng/m <sup>3</sup>	Within limit
13	Methane	Not to exceed 25% of the Lower Explosive Limit (equivalent to 650 mg/m³)	<0.5 μg/m³	Within limit
* As per Authorization Dated 23.08.2022				