



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: October 29, 2018

To,
Municipal Corporation of Greater Mumbai
at --

Subject: Environment Clearance for Scientific processing of MSW in 52.45 ha area which is in CRZ III area other than CRZ-I at Kanjur MSW processing site in Mumbai.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 139th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 140th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category Not Applicable as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Scientific processing of MSW in 52.45 ha area which is in CRZ III area other than CRZ-I at Kanjur MSW processing site in Mumbai.
2.Type of institution	Government
3.Name of Project Proponent	Municipal Corporation of Greater Mumbai
4.Name of Consultant	Fine Envirotech Engineers
5.Type of project	others Scientific MSW Processing Facility
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion in existing project in terms of land use without enhancing the capacity
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not Applicable
8.Location of the project	--
9.Taluka	Mumbai
10.Village	Kanjurmarg
11.Area of the project	Municipal Corporation of Greater Mumbai
12.IOD/IOA/Concession/Plan Approval Number	Not Applicable IOD/IOA/Concession/Plan Approval Number: Not Applicable Approved Built-up Area:
13.Note on the initiated work (If applicable)	Not Applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Not Applicable
15.Total Plot Area (sq. m.)	52.45 ha
16.Deductions	Not applicable
17.Net Plot area	Not applicable

SEIAA Meeting No: 140 Meeting Date: October 3, 2018 (SEIAA-STATEMENT-000000502)
SEIAA-MINUTES-000000672
SEIAA-EC-000000475

Page 1 of 11


Shri. Anil Diggikar (Member Secretary SEIAA)

18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	5000000000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	--	0	0	0

23. Total Water Requirement

Dry season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not Applicable	

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	0	100	0	0	100	0	0	0	0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	Not Applicable
	Size and no of RWH tank(s) and Quantity:	Not Applicable
	Location of the RWH tank(s):	Not Applicable
	Quantity of recharge pits:	Not Applicable
	Size of recharge pits :	Not Applicable
	Budgetary allocation (Capital cost) :	Not Applicable
	Budgetary allocation (O & M cost) :	Not Applicable
	Details of UGT tanks if any :	Not Applicable

26.Storm water drainage	Natural water drainage pattern:	--
	Quantity of storm water:	--
	Size of SWD:	--

27.Sewage and Waste water	Sewage generation in KLD:	Not Applicable
	STP technology:	Not Applicable
	Capacity of STP (CMD):	Not Applicable
	Location & area of the STP:	Not Applicable
	Budgetary allocation (Capital cost):	Not Applicable
	Budgetary allocation (O & M cost):	Not Applicable


28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Not Applicable
	Disposal of the construction waste debris:	Not Applicable
Waste generation in the operation Phase:	Dry waste:	Not Applicable
	Wet waste:	Leachate
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Not Applicable
	Others if any:	Not Applicable
Mode of Disposal of waste:	Dry waste:	Not Applicable
	Wet waste:	Leachate generated from bioreactor landfill will be collected separately through internal pipeline networks and treated on-site via ETP to meet the CPCB guidelines for effluent disposal
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Not Applicable
	Others if any:	Not Applicable
Area requirement:	Location(s):	52.45
	Area for the storage of waste & other material:	--
	Area for machinery:	--
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	--
	O & M cost:	--

Government of Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	--	--	--	--	--
Amount of effluent generation (CMD):		Not Applicable			
Capacity of the ETP:		Not Applicable			
Amount of treated effluent recycled :		Not Applicable			
Amount of water send to the CETP:		Not Applicable			
Membership of CETP (if require):		Not Applicable			
Note on ETP technology to be used		Not Applicable			
Disposal of the ETP sludge		Not Applicable			



Government of Maharashtra

30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not Applicable	Not Applicable	Not Applicable	0	0	0	Not Applicable

31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Not Applicable	0	0	0	0	0

32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Biogas	--	--	--

33. Source of Fuel: Biogas will be generated as a byproduct of degradation of waste from Bioreactor landfill and sanitary landfill.

34. Mode of Transportation of fuel to site: Not Applicable

35. Energy

Power requirement:	Source of power supply :	DG Set
	During Construction Phase: (Demand Load)	50 kVA
	DG set as Power back-up during construction phase	DG set
	During Operation phase (Connected load):	--
	During Operation phase (Demand load):	2 MW
	Transformer:	Not Applicable
	DG set as Power back-up during operation phase:	50 kVA
	Fuel used:	Diesel
	Details of high tension line passing through the plot if any:	33 kV

Energy saving by non-conventional method:

Not Applicable

36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Not Applicable	Not Applicable

37.Details of pollution control Systems							
Source	Existing pollution control system		Proposed to be installed				
Not Applicable	Not Applicable		Not Applicable				
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not Applicable					
	O & M cost:	Not Applicable					
38.Environmental Management plan Budgetary Allocation							
a) Construction phase (with Break-up):							
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)				
1	Environmental Monitoring	SO2, Nox, PM10, PM2.5, SPM, CO, Ammonia etc.	8				
b) Operation Phase (with Break-up):							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Environmental Monitoring	O2, Nox, PM10, PM2.5, SPM, CO, Ammonia etc.	20	8			
2	Odour Control	--	--	25			
3	Landscape	Tree Plantaion & Managment	18	5			
4	Environmental Training	--	15	6			
5	Miscellaneous	--	15	5			
39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
--	--	--	0	0	0	--	--
40.Any Other Information							
No Information Available							

	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable
	Category as per schedule of EIA Notification sheet	Not Applicable
	Court cases pending if any	Yes
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 140th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to submit their plan for segregation of waste in the city.
II	PP to submit copy of compliance of issues raised during the public hearing.
III	Earlier SEAC-I observation compliance to be submitted: Since the extended cell does compromise the shallow water body on eastern side of premises, proper drainage plan to ensure that storm water will properly led away so as not to stagnate low line areas shall be prepared and included in the EIA report.
IV	PP to ensure the compliance of points raised by earlier SEAC in their meeting s and site visit report dated 17.02.2016.
V	PP to ensure compliance of the conditions stipulated by MCZMA and CRZ clearance.
VI	PP to prepare comprehensive drainage plan to ensure proper carrying and disposal of storm water with out contamination.
VII	PP to take utmost precautions to prevent the nuisance to near by public from the activities carried out on site.
VIII	PP to make traffic plan in such a way that no traffic congestion shall happen on the nearby roads which can affect traffic flow.
IX	No burning is allowed on site; PP to take adequate precautions to prevent the fire incidents by way of administrative and safety controls like prevention of unauthorized entry, smoking etc.
X	PP to ensure that it will process waste generated from CRZ area only.
XI	PP shall ensure compliance of MCZMA conditions

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).

VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER MUMBAI
10. MUNICIPAL COMMISSIONER NAVI MUMBAI
11. REGIONAL OFFICE MPCB MUMBAI
12. REGIONAL OFFICE MPCB NAVI MUMBAI
13. REGIONAL OFFICE MIDC ANDHERI
14. REGIONAL OFFICE MIDC KOPER KHAIRANE NAVI MUMBAI
15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
16. COLLECTOR OFFICE MUMBAI
17. COLLECTOR OFFICE MUMBAI SUB-URBAN

Government of Maharashtra

SEAC- 2014/CR-162/TC2
Environment department
Room No. 217, 2nd floor,
Mantralaya Annexe,
Mumbai- 400 032.
Dated: 5th December, 2014

To,
Chief Engineer (SWM)
89, Love Grove Complex,
Dr. Annie Besant Road,
Worli, Mumbai

Subject: Environment clearance for proposed Modernization of MSW processing and disposal facility of capacity 4000 TPD – 7500 TPD at Kanjur, Mumbai by M/s. Deputy Municipal Commissioner (SWM) MCGM.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 81st, 83rd, 84th, 85th, 86th meetings and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 61st & 76th meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed Modernization of MSW processing and disposal facility of capacity 4000 TPD – 7500 TPD at Kanjur, Mumbai. SEAC-I considered the project under screening category 8(b) B1 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as-

Name of the project	Proposed Integrated Solid Waste Management Plant at Kanjur, Mumbai
Project Proponent	Office of Chief Engineer (SWM)
Consultant	M/s. Fine Envirotech Engineers
Accreditation of consultant (NABET Accreditation)	QCI NABET List for the proposed category of the project
New Project / Expansion in existing project/ Modernization/ Diversification in exiting project	Modernization EC has already been issued vide letter No. 10-10/2007-IA-III dated 17th March, 2009. Original EC was for processing of 4000 TPD of MSW using windrow composting, construction of sanitary landfill including landfill gas collection system, leachate collection and treatment. Now the project proponent intends to have windrow composting for 1000 TPD and bioreactor landfill for 3000 TPD -6500 TPD. Technology clearance for bioreactor landfill from CPCB/MPCB has already been obtained.

If expansion/ Diversification, whether environmental clearance has been obtained for existing project	Yes. EC dated 17th March, 2009 vide letter No. 10-10/2007-IA-III				
Activity schedule in the EIA Notification	7 (i), B1				
Area Details	Total plot area (sq. m.): 65.96 ha Built up area (Sq. m.): NA				
Estimated capital cost of the Project (including cost for land, building, plant and machinery separately)	Rs. 400 Crores (for next eight years)				
Location details of the project :	Latitude: 19° 7'29.84"N Longitude: 72°56'48.77"E Location: Kanjur village Elevation above Mean Sea Level (metres): 1 m				
Process details / manufacturing details	1000 TPD to 7500 TPD waste will be processed on-site				
Note on ETP technology to be used	Leachate generated from bioreactor landfill will be collected separately through internal pipeline networks and treated on-site via ETP to meet the CPCB guidelines for effluent disposal				
Solid waste management	Sr n o	Source	Qty (TPM)	Form (sludge / dry / slurry)	Composition
	1	Raw water treatment plant	--	--	--
	2	ETP	--	--	--
	3	Process	--	--	--
	4	Spent catalyst	--	--	--
	5	Oily sludge	--	--	--
	6	Others like battery waste, e-waste etc (please specify)	Leachate	slurry	--
	<ul style="list-style-type: none"> • If waste(s) contain any hazardous/toxic substance/radioactive materials or heavy metals then provide quantity, disposal data and proposed precautionary measures. • What are the possibilities of recovery and recycling of wastes? • Possible users of solid waste 				

• Method of disposal of solid waste						
Atmospheric Emissions (Flue gas characteristics SPM, SO ₂ , NO _x , CO, etc.)	Sr no	Pollutant	Source of emission	Emission rate (kg / hr)	Concentration in flue gas (g / m ³)	
	1	SPM	construction	Marginal	--	
	2	SO ₂	construction	Marginal	--	
	3	NO _x	construction	Marginal	--	
	4	CO	construction	Marginal	--	
	5	Others			--	
Stack emission Details: (All the stacks attached to process units, oilers, captive power plant, D.G. Sets, Incinerator both for existing and proposed activity). Please indicate the specific section to which the stack is attached. e.g.: Process section, D.G. Set, Boiler, Power Plant, incinerator etc. Emission rate (kg/hr.) for each pollutant (SPM, SO ₂ , NO _x etc. should be specified	Plant section & units	Stack no.	Height from ground level (m)	Internal diameter top (m)	Emission rate	Temp. of exhaust gas
	--	--	--	--	--	--
	--	--	--	--	--	--
Power plant (for initial): 1 MW and potential of 11 MW						
Emission standard	Pollutants (SPM, CO, etc)	Emission standard limit (mg/Nm ³)	Proposed limit (mg/Nm ³)	MPCB consent (mg/Nm ³)		
	--	--	--	--		
Ambient Air Quality Data	Pollutant	Permissible standard	Proposed concentration (in µg/m ³)	Remarks		
	SPM	500 ug / m ³	185 ug / m ³	--		
	RPM			--		
	SO ₂	120 ug / m ³	25 ug / m ³	--		
	NO _x	400 ug / m ³	23 ug / m ³	--		
	CO	1-2 mg / m ³	< 0.4 mg / m ³	--		
Energy	Power supply Existing power requirement: 75 KVA Proposed power requirement: 2 MW during Operational phase DG sets Number and capacity DG sets to be used (existing and proposed) Details of the non-conventional renewable energy proposed to be used:					
Green belt development	Green belt area (Sq. m.): 141.77 ha circumference of the					

	proposed plot Number and species of trees to be planted Number, size, age and species of trees to be cut, trees to be transplanted			
Details of Pollution Control Systems:	Sr. no		Existing pollution control measures	Proposed to be installed
	1	Air	As per EIA	
	2	Water		
	3	Noise		
	4	Solid waste		
Environmental Management plan Budgetary Allocation	<ul style="list-style-type: none"> Capital cost (With break up): O&M cost (With break up): 			
	Sr. no		Recurring cost per annum	Capital cost
	1	Air pollution control	As per EMP costing in EIA	
	2	Water pollution control		
	3	Noise pollution control		
	4	Environment Monitoring & Management		
	5	Reclamation borrow / mined area (If applicable)		
	6	Occupational hazard		
	7	Green belt		
	8	Solid waste management		
	9	Other (Pls specify)		
	Total		433 lakhs	2455 hs

3. The SEIAA in its 76th meeting noted that the project proponent intends to have windrow composting for 1000 TPD and bioreactor landfill for 3000 TPD -6500 TPD. Technology clearance for bioreactor landfill from CPCB/MPCB has already been obtained. The SEIAA further noted that the SEAC-I has considered the proposal in its 81st, 83rd, 84th, 85th, 86th meetings and recommend the project for prior environmental clearance to SEIAA.

The Authority in its 76th meeting also noted the letter dated 18.11.2014 from Municipal Commissioner, MCGM in the context of directions passed by Hon'ble High Court, Bombay in Writ Petition NO 1720 of 2014 and others.

SEIAA in its 76th meeting decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

- 1) The proposal under consideration has to be restricted within the area 65.96 ha. outside the CRZ area. The PP shall maintain a buffer zone of 500 meters around the project

perimeter which shall be incorporated as 'No Development Zone' in the Development Plan of MCGM.

- 2) The road leading to the dumping ground from the Eastern Express Highway shall be fully black topped /concretised so as to avoid generation of dust.
- 3) Generation of Green House Gases (GHG) like methane needs to be controlled so that it does not contaminate the atmosphere. It should be ensured that the methane generated is fully utilised for power generation/flaring and not let into atmosphere.
- 4) The leachate generating from the cells will have to be systematically collected and treated to reduce its BOD levels to allowable limits. Under no circumstance should the leachate be allowed to contaminate the surrounding areas, particularly the mangrove forest on the South Western and Eastern side of the cells.
- 5) The PP shall take all out efforts to control odour nuisance. PP should take steps to measure odour levels using instruments which are currently available. The measurement of odour levels shall be taken at strategic locations depending on the wind direction and situation of habitats. Through regular monitoring it should be ensured that the odour levels are within the acceptable limits and remedial measures like applying odour controlling bacterial consortium to the garbage are taken up as and when necessary.
- 6) To save the mangroves on the south western side of the property which is starved of supply of sea water, the PP should ensure openings of sufficient cross sections in the compound wall which are designed and provided in consultation with the Chief Conservator of Forests, Mangrove Cell.
- 7) Mangrove regeneration efforts should be undertaken at the costs of the PP once regular tidal flushing is assured through measures suggested in point 6 above.
- 8) The staff handling the solid waste should be trained to ensure zero spillage of the garbage during transport. The PP should ensure proper cleaning of the transport vehicles after unloading the garbage at the dumping site.
- 9) No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.
- 10) No additional land shall be used / acquired for any activity of the project without obtaining proper permission.
- 11) The project proponent should ensure that the transportation of the Hazardous wastes to the TSDF conforms to the norms laid down in the Hazardous Wastes (Management & Handling) Rules, 2003.

- 12) The proponent should ensure that the TSDF fulfills all the provisions of Hazardous Wastes (Management & Handling) Rules, 2003 & the design of landfill is as per the guidelines of CPCB with proper leachate collection arrangement.
- 13) The TSDF should only handle the waste generated from the member units. A leachate collection system should be provided to collect the leachates at a collection point. Treatment facility for the collected leachate should be provided. The treated water should be reused as far as possible in the project.
- 14) The proponent should obtain necessary clearance from the Ground Water Authority before initiating the project.
- 15) The depth of the land fill should be decided based on the ground water level at the site.
- 16) Project proponent should prepare and implement an on site emergency management plan.
- 17) Project proponent shall carry out periodical ground water / soil monitoring in and around the site to check the contamination including TCLP test for heavy metals.
- 18) Project proponent should carry out periodical air quality monitoring in and around the site including VOC, HC.
- 19) Project proponent should develop green belt all along the periphery of the TSDF with plant species that are significant and used for the pollution abatement.
- 20) The project proponent should not store the hazardous wastes more than the quantity that has been permitted by the CPCB / Maharashtra State Pollution Control Board.
- 21) Adequate fire fighting facilities should be installed to handle the fire arising from hazardous chemicals / wastes that are stored / processed.
- 22) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
- 23) Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area.
- 24) Proper house keeping programmes shall be implemented.
- 25) A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (if applicable) Arrangement shall be made that effluent and storm water does not get mixed.
- 26) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra pollution control board.
- 27) Leq of noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.

- 28) The overall noise levels in and around the plant shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources
- 29) PP has to abide by the conditions stipulated by SEAC & SEIAA.
- 30) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- 31) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

General Conditions for Construction Phase-

- (i) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (iii) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (iv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (v) Arrangement shall be made that waste water and storm water do not get mixed.
- (vi) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (vii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.

- (viii) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (ix) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (x) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xi) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.

- (xii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xiii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xiv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.


General Conditions for Post- construction/operation phase-

- (i) Project proponent shall ensure completion of green belt development prior to functioning of MSW processing. Prior certification from appropriate authority shall be obtained.
- (ii) A complete set of all the documents submitted to SEAC&SEIAA should be forwarded to the Local authority and MPCB.
- (iii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (iv) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (v) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (vi) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.
- (vii) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (viii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (ix) In the event of the failure of any pollution control system adopted by the unit the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
- (x) Regular monitoring of the air quality including SOM & so2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.

- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
 - (xii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - (xiii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
 7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing,

Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

11. This Environment Clearance is issued for proposed Modernization of MSW processing and disposal facility of capacity 4000 TPD – 7500 TPD at Kanjur, Mumbai by M/s. Deputy Municipal Commissioner (SWM) MCGM.


(Medha Gadgil)
Additional Chief Secretary,
Environment department &
MS, SEIAA

Copy to:

1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
2. Shri T. C. Benjamin, IAS (Retired), Chairman, SEAC-I, 602, PECAN, Marigold, Behind Gold Adlabs, Kalyani Nagar, Pune – 411014. .
3. Additional Secretary, MOEF, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Mumbai.
7. Collector, Mumbai
8. Commissioner, Municipal Corporation Greater Mumbai (MCGM)
9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
10. Select file (TC-3)

(EC uploaded on 6/12/14)